

DESIGN AND STUDIES OF FLUIDIC OR/NOR  
ELEMENTS AND THEIR APPLICATION IN THE  
DESIGN AND DEVELOPMENT OF A NUMERICALLY  
CONTROLLED COORDINATOGRAPH

by

DEVDA S SHETTY

Thesis submitted for the Degree of DOCTOR OF  
PHILOSOPHY in the Faculty of Engineering.

INDIAN INSTITUTE OF TECHNOLOGY, DELHI

JUNE 1974

CERTIFICATE

This is to certify that the thesis entitled 'Design and Studies of Fluidic OR/NOR Elements and their Application in the Design and Development of a Numerically Controlled Coordinatograph' which is being submitted by Mr. Devdas Shetty to the INDIAN INSTITUTE OF TECHNOLOGY, NEW DELHI, for the award of the Degree of Doctor of Philosophy in the Faculty of Engineering, is a record of bonafide research carried out by him. Mr. Devdas Shetty worked under our guidance and supervision and has fulfilled the requirements for the submission of this thesis, which to our knowledge, has reached the requisite standard.

The results contained in this thesis have not been submitted in part or in full, to any other University or Institute for the award of any degree or diploma.

*H. Vardhan*  
15.6.74  
(Harsh Vardhan)  
Director,  
Central Scientific Instruments  
Organisation, Sector-30,  
Chandigarh.

*R.C. Malhotra*  
15/6/74  
(R.C. Malhotra)  
Professor,  
Applied Mechanics Department,  
Indian Institute of Technology,  
New Delhi - 29.

### ACKNOWLEDGEMENTS

I wish to express my deep sense of gratitude to Prof. Harsh Vardhan for his unflagging encouragement and inspiring guidance throughout the course of the work and to Prof. R.C. Malhotra for his timely advice and cheer.

Special thanks go to Shri S.K. Mago and the Workshop staff who contributed in many ways for the successful completion of the project. Thanks are also due to my colleagues particularly Shri D.K. Sreevastav, Shri S.K. Sood, Shri C.S. Vikram, Shri R.K. Sud and Shri R.K. Saini for their friendly co-operation. It is a pleasure to acknowledge the co-operation rendered by the Photo-reproduction division, CSIO Chandigarh.

My grateful thanks are due to Shri Hari Mohan for his efficient typing and to Shri Harjinder Singh for drawing all the figures.

*Devdas Shetty.*

( DEVDAS SHETTY )

15.6.74

## TABLE OF CONTENTS

	Page
CERTIFICATE	
ACKNOWLEDGEMENTS	
TABLE OF CONTENTS	iv- vi
LIST OF FIGURES	vii-ix
LIST OF TABLES	x
LIST OF SYMBOLS	xi-xii
PREFACE	1
CHAPTER I	
BACKGROUND AND PROPOSAL	5
1.1 Fluidics	5
1.2 Numerical Control	7
1.3 Why Fluidics for Numerical Control	8
1.4 What can Fluidics offer	10
1.5 Proposed work	11
CHAPTER II	
PARAMETER STUDY OF A FLUIDIC OR/NOR ELEMENT	14
2.1 Switching mechanism in Fluidics	14
2.2 Basic profile of a bistable element	16
2.3 Conversion to OR/NOR gate	17
2.4 Design optimisation	17
2.5 Conclusions	24

CHAPTER III	
A NEW APPROACH TO THE DESIGN OF FLUIDIC OR/NOR ELEMENTS	26
3.1 Principle of operation	27
3.2 The element design and test set up	29
3.4 Summary of test results	29
CHAPTER IV	
COMPUTER AIDED DESIGN STUDY OF FLUIDIC OR/NOR ELEMENTS	32
4.1 Experimental results	33
4.2 Discussion	34
4.3 Conclusion	36
CHAPTER V	
MATERIALS AND TECHNIQUES OF FABRICATION	37
5.1 Choice of the material	37
5.2 Fabrication techniques of fluidic elements	39
5.2.1 Laminated construction using etched metal foils	39
5.2.2 Epoxy resin casting	41
5.2.3 Generation of fluidic element profile by electro spark machining	43
5.2.4 Compression moulding of fluidic elements	44
5.3 Summary	45
CHAPTER VI	
CO-ORDINATE POSITIONING BY FLUIDICS	47
6.1 Pneumatic digital measurement	48
6.2 Numerical positioner	49

6.3	Fluid logic arrangement	51
6.3.1	Binary valve	51
6.3.2	Nor logic	52
6.4	Conclusion	54
CHAPTER VII		
	SOME ASPECTS OF ANALYSIS AND PERFORMANCE	55
7.1	Minimisation of the logic circuit	55
7.2	Data processor design	56
7.3	Sensing head tests	58
7.4	Analysis	60
7.4.1	Finer resolution of the moving member	60
7.4.2	Stopping within the required interval	62
7.5	Reliability	63
7.6	Trends and prospects	65
	REFERENCES	67
	TABLES	75 - 77
	FIGURES	78 - 117.

3.5	Switching probability of OR/NOR element	96
4.1	Profile of a 3 input OR/NOR element	97
5.1a	Fluidic element fabricated by photo-etching process	98
5.1b	Fluidic half element fabricated by compression moulding	98
5.2	Epoxy resin casting techniques	99-100
5.3	Generation of fluidic component profile by electro-spark machining	101
5.4	A sample of the fabricated fluidic components	102
6.1	Schematic view of indirect measuring system with absolute digital transducers	103
6.2	Schematic diagram of hole seeking steel piston	104
6.3	Schematic of the Co-ordinatograph actuation system in one axis	105
6.4	7 level binary valve assembly	106
6.5	Fluidic control circuit of numerical positioner	107
6.6	Spool valve assembly	108
6.7	Assembled view of Fluidically controlled Co-ordinatograph	109
7.1	Modified spool valve assembly	110
7.2	Revised circuit using modified spool valve	111
7.3	Electro-magnetic data reader	112
7.4	Effect of varying side port size	113
7.5	Rig for high speed reading tests	114

7.6	Dynamic response	115
7.7	Stopping the moving member on reaching the desired interval	116
7.8	Re-entering the desired interval after overshoot	117