

SHEAR BEHAVIOUR OF COMPACTED SOILS

IN THE

SATURATED AND PARTIALLY SATURATED STATES

SHEAR BEHAVIOUR OF COMPACTED SOILS IN THE
SATURATED AND PARTIALLY SATURATED STATES

A thesis
presented by

SHASHI K. GULHATI, S.M.

for the degree of Ph.D.

Department of Civil Engineering
Indian Institute of Technology, Delhi

August 1972

ACKNOWLEDGEMENTS

The problem for this thesis was formulated under the guidance of Dr. D.J. Henkel, then Professor at IIT, Delhi. Dr. Jagdish Narain, formerly Professor at Roorkee University, guided the author during the first part of the experimental phase of the work. Prof. Saranjit Singh guided the thesis to completion. The author expresses his gratitude to his guides, especially to Prof. Saranjit Singh, who took time out to go through a draft of the thesis during a period when he himself was professionally very engagingly occupied.

To Prof. R.N. Dogra, until recently Director of IIT, Delhi, the author is sincerely grateful for the constant encouragement he received in this endeavour.

On numerous occasions his colleagues in the Department helped the author by relieving him of some of his official work and responsibilities. To all of them and especially to Dr. V.V.S. Rao, Dr. T. Ramamurthy, Mr. O.S. Ghuman, and Mr. R. Puri, the author is grateful.

Numerous instrumentation problems arise when one is conducting an experimental investigation. For help in solving them, the author is grateful to his colleagues in the Institute: Mr. A. Bose, Mr. R.T. Russell, Dr. V.V.S. Rao, Dr. T. Ramamurthy, Prof. S.N. Phadke; and also to Mr. Z.M. Karachiwala of Vasi Shums & Co. and to Mr. K. Khurana of the Selas Corp. For handling problems of instrumentation as well as for general assistance, the author is very grateful to the laboratory staff of the Soil Engineering Laboratories, specifically to Mr. M.M. Sharma, to Mr. P.L. Juneja and Mr. T.R. Bhogal.

For discussion and valuable suggestions that they offered, the author is grateful to Dr. Yudhbir of IIT, Kanpur, to Dr. T. Ramamurthy, and to Mr. P.C. Rawat, research scholar in the Soils Division at IIT, Delhi.

The author is grateful to Dr. K.K. Pujara, Mr. Rajiv Talwar, and Miss Renu Dhawan for their assistance in the preparation of the thesis.

TABLE OF CONTENTS

TITLE	i-ii
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENTS	iv-x
I. <u>INTRODUCTION</u>	1
A. <u>In Perspective</u>	1
B. <u>The Thesis</u>	4
II. <u>REVIEW OF LITERATURE</u>	8
A. <u>Scope</u>	8
B. <u>Compaction Theories</u>	10
C. <u>The Structure of Compacted Soil and its Measurement</u>	13
1. The Structure	13
2. Measurement of Structure	21
D. <u>Mechanisms of Strength Generation</u>	22
E. <u>Effective Stress in Partially Saturated Soils</u>	29
F. <u>Factors Affecting Shear Strength Characteristics of Compacted Soil in the Partially Saturated State</u>	38
1. Undrained Strength	38
2. Drained Strength	41
3. Cohesion Intercept and Angle of Shearing Resistance in terms of Total Stresses	42

4.	Cohesion Intercept and Angle of Shearing Resistance in terms of Effective Stresses	42
5.	Stress-Strain Behaviour	44
G.	<u>Factors Affecting Shear Strength Characteristics of Compacted Soil in the Saturated State</u>	45
1.	Undrained Strength	45
2.	Drained Strength	46
3.	Cohesion Intercept and Angle of Shearing Resistance in terms of Total Stresses	47
4.	Cohesion Intercept and Angle of Shearing Resistance in terms of Effective Stresses	47
5.	Stress-Strain Behaviour	51
III.	<u>A SYNTHESIS OF FACTS AND OPINIONS</u>	54
A.	<u>Scope</u>	54
B.	<u>Structure of Compacted Clays</u>	54
1.	Sources of Ambiguity	54
a.	Terminology	54
b.	Scale effects	56
c.	Experimental and interpretive errors	57
2.	Structural Components in Compacted Soil	57
a.	Granular particles	57
b.	Peds	58
c.	Domains	59
d.	Clay crystals	59
3.	Effect of Compaction Conditions on Structure	60
4.	Effect of Saturation on Structure	61
C.	<u>Mechanisms of Strength Generation</u>	63

D.	<u>Mathematical Expression of the Strength Function</u>	66
IV.	<u>EXPERIMENTAL INVESTIGATION</u>	72
A.	<u>Scope</u>	72
B.	<u>Test Variables</u>	75
1.	Field Controllable Variables	75
a.	Water content at compaction	75
b.	Type of compaction	76
c.	Amount of compaction	77
2.	Drainage Conditions during Shear	78
a.	For 'compacted-then-saturated' samples	78
b.	For 'as-compacted' samples	79
3.	Methods of Application of Deviator Stress	79
C.	<u>Testing Programme</u>	80
1.	'Compacted-then-Saturated' Samples	81
2.	'As-Compacted' Samples	81
D.	<u>Testing Procedure and Equipment</u>	84
1.	Distinguishing Features	84
2.	Sample Preparation Procedure	88
3.	Test Procedures for 'Compacted-then-Saturated' Samples	88
4.	Test Procedures for 'As-Compacted' Samples	90
E.	<u>Soils Used</u>	92
1.	Classification	92
2.	Compaction Characteristics	95

3.	Shrinkage Characteristics	95
4.	<u>Raison d'etre</u> for Using these Soils	105
V.	<u>BEHAVIOUR OF 'COMPACTED-THEN-SATURATED' SOIL</u>	109
A.	<u>Introduction</u>	109
B.	<u>Behaviour on Saturation</u>	126
C.	<u>Strength Parameters in terms of Effective Stresses</u>	137
1.	Inadequacy of Graphical Analysis	137
2.	Semi-Statistical Technique for Analysis	142
3.	Influence of Test Variables for Failure Defined as Maximum Principal Effective Stress Ratio	145
a.	Effect of water content at compaction	145
b.	Effect of type of compaction	150
c.	Effect of amount of compaction	153
d.	Effect of condition of drainage during shear	155
e.	Effect of method of application of deviator stress	157
f.	Conclusions	158
4.	Influence of Test Variables for Failure Defined as Stress Conditions at 20 % Axial Strain	159
5.	Magnitudes of Strength Parameters	165
6.	Discussion on Experimental Observations	169
D.	<u>Behaviour During the Shear Process</u>	177
1.	Stress-Strain Relations for <u>CU</u> Tests	178
a.	Influence of compaction conditions	178
b.	Influence of method of application of deviator stress	197
c.	Discussion on observed features of the stress-strain relations	200

2.	Stress-Strain Relations for Drained Tests	214
	a. Influence of compaction conditions	214
	b. Influence of method of application of deviator stress	223
3.	Stress Paths	227
4.	Method of Failure	231
E.	<u>The State of Stresses at Failure</u>	237
	1. In Terms of Conditions at Compaction	237
	a. Influence of water content at compaction and type of compaction	237
	b. Influence of amount of compaction	249
	2. In Terms of Conditions at Failure	251
	a. Influence of type of compaction	251
	b. Influence of water content at compaction	253
	c. Influence of amount of compaction	264
VI.	<u>BEHAVIOUR OF 'AS-COMPACTED' SOIL IN THE PARTIALLY SATURATED STATE</u>	268
	A. <u>Introduction</u>	268
	B. <u>Pre-Shear Pressure Deficiencies in Pore Water</u>	273
	C. <u>Behaviour During the Shear Process</u>	281
	1. Influence of Water Content at Compaction	281
	2. Influence of Type of Compaction	288
	3. Influence of Amount of Compaction	291
	D. <u>The State of Stresses at Failure</u>	298

1.	Analysis in Terms of Bishop's X-factor	300
	a. Influence of water content at compaction	301
	b. Influence of type of compaction	303
	c. Influence of amount of compaction	305
	d. Influence of $(\sigma_c - u_a)$	306
	e. Influence of conditions of drainage during shear	309
	f. Discussion	312
2.	Analysis in Terms of Blight's X-factor	319
VII.	<u>CONCLUSIONS</u>	324
	A. <u>'Compacted-then-Saturated' State</u>	326
	B. <u>'As-Compacted' Partially Saturated State</u>	331
	REFERENCES	334
	APPENDICES	346
AI.	<u>EXPERIMENTAL PROCEDURES</u>	346
	A. <u>Soil Preparation Process</u>	346
	B. <u>Compaction Process</u>	348
	1. Kneading Compaction	348
	2. Static Compaction	352
	3. Reproducibility and Homogeneity	352
	C. <u>'Compacted-then-Saturated' Samples</u>	356
	1. Triaxial Set-up	356
	2. De-airing and Leakage Checking Process	359
	3. Sample Setting and Saturation Process	361

(x)

4.	Shear Process	367
	a.	Drainage conditions during shear 368
	b.	Method of application of deviator stress 369
	c.	Reproducibility of results 369
D.	<u>'As-Compacted' Samples</u>	372
1.	Triaxial Set-up	372
2.	Special Processes	376
	a.	Calibration of pressure recording instruments 376
	b.	Measurement of air-entry values of ceramic discs 377
3.	De-airing and Leakage Checking Process	383
4.	Sample Setting Process	386
5.	Shear Process	392
	a.	Drainage conditions during shear 392
	b.	Measurement of volume changes during shear 393
	c.	Reproducibility of results 394
III.	<u>RATES OF LOADING</u>	397
A.	<u>For 'Compacted-then-Saturated' Samples</u>	397
1.	Consolidated Undrained Tests with Pore Water Pressure Measurements	397
2.	Consolidated Drained Tests	403
B.	<u>For 'As-Compacted' Samples in the Partially Saturated State</u>	404
1.	Constant Water Content Tests with Pore Water Pressure Measurements	404
2.	Drained Tests	406
IIII.	<u>SEMI-STATISTICAL ANALYTICAL TECHNIQUES</u>	407
	LIST OF SYMBOLS	416
	CURRICULUM VITAE	420