

ANALYSIS AND DESIGN OF CYCLOCONVERTER-FED
INDUCTION MOTOR DRIVE

BY

KRISHNA KANT

DEPARTMENT OF ELECTRICAL ENGINEERING

THESIS SUBMITTED

IN FULFILMENT OF THE REQUIREMENTS OF

THE DEGREE OF

DOCTOR OF PHILOSOPHY

TO THE


INDIAN INSTITUTE OF TECHNOLOGY, DELHI

JUNE, 1982

Dedicated to
SHELLY AND SAUMITRA

CERTIFICATE

Certified that the dissertation entitled 'Analysis and Design of Cycloconverter-Fed Induction Motor Drive', which is being submitted by Shri Krishna Kant in fulfilment for the award of the Degree of 'Doctor of Philosophy' in Electrical Engineering of the Indian Institute of Technology, Delhi is a record of the student's own work carried out by him under our joint supervision and guidance. The matter embodied in this dissertation has not been submitted for the award of any other Degree or Diploma.



(J.K. Chatterjee)

(R. Arockiasamy)

Dated June 30th, 1982

ACKNOWLEDGEMENTS

The author wishes to express his profound gratitude to Prof. Arockiasamy for his invaluable guidance and inspiration in carrying out the work. The author is greatly indebted to Dr. J.K. Chatterjee for his unstinted help and encouragement throughout the investigation.

Thanks are due to the authorities of the I.I.T. Delhi for providing research facilities and to the supporting staff of the Electrical Engineering Department for their whole hearted cooperation.

Appreciation is extended to the Principal, Motilal Nehru Regional Engineering College, Allahabad for sponsoring the author, and to the Govt. of India for the award of the scholarship under its Quality Improvement Programme.

The author wishes to thank M/s. R. Mulchandani, N.K. Sharda and N.K. Jain for their valuable suggestions and Mr. V.P. Gulati for patiently typing the thesis.

The author would like to thank Mrs. Veena Jain for the help and encouragement provided by her in the later stages of the work.

The author greatly acknowledges the contribution of his wife, Sadhana, who has been a constant source of encouragement, has silently endured all, and provided renewed motivation during those black moments when it all seemed futile.

June, 1982

Krishna Kant
KRISHNA KANT

CONTENTS

	<u>PAGE</u>
List of Principal Symbols	xv
Summary	xxii
CHAPTER-1	
INTRODUCTION	
1.1 General ..	1
1.2 DC Motor Vs. Induction Motor as Traction Drive ..	2
1.2.1 Problems associated with dc motors as Traction drives ..	2
1.2.2 Advantages of Induction motor as Traction drive ..	4
1.3 Choice of Power Control Element in ac Traction Using Three-Phase Induction Motor Drive ..	5
1.4 State of the Art in Cycloconverters ..	6
1.4.1 Problems associated with cycloconverter trigger controller ..	8
1.4.2 Cycloconverter operational problems ..	9
1.4.3 Analysis of Induction Motor fed from non-sinusoidal, variable frequency source ..	10
1.4.4 AC traction system ..	12
1.5 Outline of Various Chapters ..	12

CHAPTER-2	PRINCIPLE OF OPERATION AND DESIGN OF SINGLE-PHASE TO THREE- PHASE CYCLO CONVERTER		
2.1	Introduction	..	15
2.2	Single-Phase to Singhe-Phase Cycloconverter	..	17
2.2.1	Principle of Operation	..	17
2.2.2	Voltage control and modulation..		21
2.2.3	Trigger Requirements	..	23
2.2.4	Load current	..	27
2.2.5	Thyristor current and voltage	..	29
2.2.6	Transformer current	..	36
2.3	Operation of Cycloconverter Under Circulating Current Mode	..	42
2.3.1	High Inductive Load	..	42
2.3.2	Output frequency-non-integer submultiple of the input frequency	..	44
2.3.3	Operation of Cycloconverter with circulating current inductor	..	48
2.3.3.1	Salient features of circulating current inductor	..	48
2.3.3.2	Circulating current inductor calculations..		49
2.4	Single-Phase To Three-Phase Cycloconverter	..	50
2.4.1	Basic Principle of Operation	..	52
2.4.2	Trigger Requirements	..	56
2.4.3	Circuit Configurations	..	59

2.5	Single-Phase To Three-Phase Cycloconverter Using Three Transformers With Centre-Tapped Secondary Winding	..	61
2.5.1	Three-Phase isolated load	..	65
2.5.2	Three-Phase neutral connected Load	..	67
2.5.2.1	Phase voltage	..	67
2.5.2.2	Line voltage	..	67
2.5.2.3	Load current	..	70
2.5.2.4	Neutral current	..	73
2.5.2.5	Thyristor current and voltage	..	73
2.5.2.6	Transformer and input currents	..	74
2.5.3	Three-Phase star connected load with isolated neutral	..	74
2.5.3.1	Neutral voltage	..	74
2.5.3.2	Phase voltage	..	77
2.5.3.3	Line voltage	..	77
2.5.3.4	Load current	..	80
2.5.3.5	Thyristor current and voltage	..	80
2.5.3.6	Transformer and input currents	..	82
2.5.4	Three-phase delta connected load	..	83
2.5.4.1	Phase voltage	..	83
2.5.4.2	Load current	..	83

2.6	Single-Phase to Three-Phase Cycloconverter Using One Transformer with Single Centre- Tapped Secondary Winding	..	85
2.6.1	Transformer and input currents	..	92
2.6.1.1	Three-phase neutral connected load	..	92
2.6.1.2	Three wire system of loads(Star or Delta)	..	97
2.7	Single-Phase to Three-Phase Cyclocon- verter Using one Transformer with Three Centre- Tapped Secondary Windings	..	97
2.8	Single-Phase to Three-Phase Cyclocon- verter Bridge Circuit	..	100
2.8.1	Three-phase isolated load	..	102
2.8.2	Three-phase Neutral connected load	..	102
2.8.3	Three-Phase load with isolated neutral	..	104
2.9	Design Equations of the Single-Phase To Three-Phase Cycloconverter	..	106
2.9.1	Three-phase neutral connected load	..	107
2.9.1.1	Output voltage and current	..	107
2.9.1.2	Transformer and input currents	..	110
2.9.1.3	Transformer rating	..	112
2.9.1.4	Thyristor rating	..	113
2.9.2	Three-Phase Star Connected Load with Isolated Neutral	..	114
2.9.2.1	Output voltage and current	..	114
2.9.2.2	Transformer and input currents	..	118

	2.9.2.3	Transformer rating	..	120
	2.9.2.4	Thyristor rating	..	121
	2.9.3	Three-Phase delta connected load	..	122
	2.9.3.1	Output voltage and current	..	122
	2.9.3.2	Transformer and input currents	..	124
	2.9.3.3	Transformer rating	..	126
	2.9.3.4	Thyristor rating	..	127
	2.9.4	RMS Value: General expressions	..	128
	2.9.4.1	Transformer secondary current	..	129
	2.9.4.2	Thyristor current	..	130
2.10		Performance of the Cycloconverter	..	132
	2.10.1	Resistive load	..	135
	2.10.2	Inductive load	..	135
	2.10.3	Induction Motor load	..	137
2.11		Conclusion	..	137
CHAPTER-3 TRIGGER CONTROLLER FOR SINGLE-PHASE TO THREE-PHASE CYCLOCONVERTER				
3.1		Introduction	..	140
3.2		Trigger Requirements	..	140
	3.2.1	Single-phase converter	..	140
	3.2.1.1	Block diagram	..	143
	3.2.2	Single-phase to single-phase cycloconverter	..	145
	3.2.2.1	Block diagram	..	147

3.2.3	Single-phase to three-phase cycloconverter	..	151
3.3	Trigger Control Scheme-1	..	153
3.3.1	Single-Phase to single-phase cycloconverter	..	153
3.3.1.1	Input stage	..	153
3.3.1.2	Zero-crossing detector	..	154
3.3.1.3	Pulse generator	..	154
3.3.1.4	Synchronising network	..	156
3.3.1.5	Counter	..	156
3.3.1.6	Multiplexer	..	156
3.3.1.7	Steering gates	..	157
3.3.1.8	Output stage	..	157
3.3.2	Single-phase to three-phase cycloconverter	..	159
3.3.2.1	Principle of operation	..	161
3.3.3	Discussion	..	162
3.4	Trigger Control Scheme-2	..	162
3.4.1	System description	..	167
3.4.2	Clock generator	..	167
3.4.2.1	Input stage	..	169
3.4.2.2	Sign detector	..	169
3.4.2.3	Phase controller	..	169
3.4.2.4	Synchronisation	..	170
3.4.3	ROM	..	176
3.4.4	Address Counter	..	177
3.4.5	Address comparator	..	177

3.4.6	Output stage	..	179
3.4.7	Sensitivity to stray pulses	..	179
3.5	Experimental Results	..	179
3.6	Conclusion	..	181
CHAPTER-4	THEORETICAL INVESTIGATION OF PROBLEMS ASSOCIATED WITH THE CYCLOCONVERTER OPERATION, LIMITATIONS AND SOLUTIONS		
4.1	Introduction	..	183
4.2	Presence of Circulating Current	..	184
4.2.1	Resistive load	..	186
4.2.2	Inductive load	..	186
4.2.2.1	Inductive load with low L/R ratio	..	187
4.2.2.2	Inductive load with large L/R ratio	..	188
4.3	Time-domain Analysis of Cycloconverter Feeding R-L Load Without CCI	..	192
4.3.1	Model Formulation	..	192
4.3.2	General solution with α control	..	193
4.3.3	Load current in the negative half cycle	..	194
4.3.3.1	Conditions for short-circuit free operation	..	196
4.3.4	Results and discussion	..	199
4.4	Analysis Under Inhibition Mode	..	201
4.4.1	Results and discussion	..	202
4.5	Effect of Circulating Current Inductor	..	204
4.5.1	Relationship between the circulating current and the CCI parameters	..	204

4.5.2	Results and discussion	..	208
4.6	Effect of Free-Wheeling on the Short-Circuit Conditions	..	210
4.6.1	Formulation of the model	..	210
4.6.2	Solution	..	212
4.6.3	Results and discussion	..	213
4.7	Operation of the Cycloconverter With Induction Motor Load	..	215
4.7.1	Effect of IM back emf on the voltage waveform and on the phenomenon of short-circuiting	..	217
4.8	Methods of Elimination of Short-circuit	..	218
4.8.1	Open loop blanking	..	220
4.8.2	Closed loop blanking	..	225
4.8.3	Load commutation	..	227
	4.8.3.1 Circuit-1	..	229
	4.8.3.2 Circuit-2	..	232
4.9	Time-domain Analysis of Circuit-2	..	234
4.9.1	Formulation of the model	..	234
4.9.2	Results and discussion	..	238
4.10	Conclusion	..	239
CHAPTER-5	INVESTIGATION OF SHORT CIRCUIT PHENOMENON IN CYCLOCONVERTER-STATIC LOAD SYSTEMS		
5.1	Introduction	..	241
5.2	Experimental Set-up	..	241

5.3	Cycloconverter with Inductive Load	..	243
5.3.1	Case I: Low inductive load	..	243
5.3.2	Case II: High inductive load	..	243
5.3.2.1	Observations	..	251
5.4	Study of the Effect of Time-Constant of the Circulating Current Inductor on the Circulating Current	..	251
5.4.1	Experimental set-up	..	253
5.4.2	Effect of short circuit path resistance R_{ext} on free-wheeling/short circuit conditions	..	253
5.4.2.1	Observations	..	255
5.4.3	Effect of free-wheeling on the short circuit phenomenon	..	257
5.4.3.1	Observations	..	260
5.5	Elimination of Circulating Current	..	261
5.5.1	Experimental set-up	..	261
5.5.2	Operation with $C=400 \mu F$	..	263
5.5.2.1	Observations	..	266
5.5.3	Circuit behaviour at other values of C	..	268
5.5.3.1	Low C	..	268
5.5.3.2	High C	..	270
5.6	Conclusion	..	270
CHAPTER-6	ANALYSIS OF SINGLE-PHASE TO THREE-PHASE CYCLOCONVERTER FED INDUCTION MOTOR		
6.1	Introduction	..	272

6.2	Harmonic Analysis of the Cyclo-converter Output Voltage	..	275
6.2.1	Fourier Coefficients of cycloconverter phase voltages; $\alpha = 0$	..	275
6.2.2	Fourier coefficients of cyclo-converter phase voltages; $\alpha \neq 0$	..	278
6.2.3	Results and discussion	..	280
6.2.4	Fourier coefficients of line voltage	..	285
	6.2.4.1 Results and discussion	..	285
6.3	Frequency Domain Analysis of Induction Motor	..	287
6.3.1	Frequency domain analysis of three-phase induction motor fed from a sinusoidal source	..	287
6.3.2	Frequency domain analysis of induction motor fed from single-phase to three-phase cyclo-converter	..	288
6.3.3	Results and discussion	..	291
	6.3.3.1 Torque-slip characteristics	..	291
	6.3.3.2 Power-slip characteristics	..	293
	6.3.3.3 Stator current-slip characteristics	..	293
	6.3.3.4 Power factor-slip characteristics	..	295
	6.3.3.5 Efficiency-slip characteristics	..	297

6.4	Time-Domain Analysis of Three-Phase Induction Motor Fed from Single-Phase to Three-Phase Cycloconverter	..	298
6.4.1	Mathematical model of single-phase to three-phase cycloconverter	..	298
6.4.2	Induction motor model	..	302
6.4.3	Method of solution	..	304
6.4.3.1	The current vector	..	305
6.4.3.2	Air-gap torque	..	306
6.4.3.3	Machine emf	..	307
6.4.3.4	Computer program	..	308
6.4.4	Results and discussion	..	312
6.4.4.1	Stator current waveforms	..	312
6.4.4.2	Machine emf	..	319
6.4.4.3	Instantaneous air-gap torque	..	319
6.4.4.4	Stator terminal voltage	..	322
6.5	Conclusion	..	326
CHAPTER-7	EXPERIMENTAL INVESTIGATION OF THE PERFORMANCE OF CYCLOCONVERTER-INDUCTION MOTOR SYSTEM		
7.1	Introduction	..	328
7.2	Experimental Set-up	..	330
7.3	Stator Voltage and Current Waveforms	..	331
7.3.1	Effect of machine emf on the cycloconverter phase voltages	..	331
7.3.2	Effect of machine emf on line voltages	..	333

7.4	Machine emf and Short circuit Condition	..	335
7.5	Effect of Capacitor on the Stator Current and Voltage Waveforms	..	335
7.6	Performance Characteristics of the Cycloconverter fed Induction Motor (Without Capacitor)	..	336
7.6.1	Torque-speed characteristics	..	340
7.6.2	Power-speed characteristics	..	340
7.6.3	Stator current-speed characteristics	..	340
7.6.4	Power factor-speed characteristics	..	343
7.6.5	Machine efficiency-speed characteristics	..	343
7.7	Performance of the Cycloconverter Feeding Induction Motor Load	..	343
7.7.1	Input current-speed characteristics	..	343
7.7.2	Input power factor-speed characteristics	..	346
7.7.3	Cycloconverter efficiency-speed characteristics	..	346
7.8	Effect of Capacitor on performance of the Cycloconverter Fed Induction Motor	..	348
7.8.1	Torque-speed characteristics	..	348
7.8.2	Power-speed characteristics	...	351
7.8.3	Stator current-speed characteristics	..	351
7.8.4	Power factor-speed characteristics	..	351
7.8.5	Efficiency-speed characteristics	..	351

7.8.6	Effect of variation of α on torque-speed characteristics	..	353
7.9	Effect of Capacitor on Performance of the Cycloconverter Feeding Induction Motor Load	..	353
7.9.1	Comparison of cycloconverter current, capacitor current and the load current	..	356
7.9.2	Input current-speed characteristics	..	356
7.9.3	Input power factor-speed characteristics	..	356
7.9.4	Cycloconverter efficiency-speed characteristics	..	356
7.10	Torque-Speed Characteristics Under Variable Frequency Operation	..	358
7.10.1	Torque-speed characteristics for constant torque operation	..	358
7.10.2	Torque-speed characteristics for constant power operation	..	359
7.11	Operation From High Frequency Source	..	361
7.12	Conclusion	..	363
CHAPTER-8	CONCLUSIONS AND SUGGESTIONS FOR FURTHER WORK		
8.1	Introduction	..	366
8.2	Main conclusions	..	366
8.3	Suggestions for Further Work	..	370
	REFERENCES	..	373

APPENDIX	I :	Derivation of Average and RMS Values of Single-Phase to Single-Phase Cycloconverter	.. 379
APPENDIX	II :	Mathematical Derivation of Neutral Voltage	.. 380
APPENDIX	III :	Derivation of Number of Transformer Secondary Pulses	.. 381
APPENDIX	IV :	Component Specification	.. 383
APPENDIX	V :	Test Machine Specification	.. 384
APPENDIX	VI :	Fourier Coefficients	.. 385
APPENDIX	VII :	Expressions for Frequency Domain Machine Analysis	.. 387
APPENDIX	VIII :	Experimental Determination of Machine Performance	.. 389